

Applicant : Don Fishbein  
Serial No. : 10/799,264  
Filed : March 12, 2004  
Page 2 of 3

**Listing of Claims**

1-29. (Canceled)

30. (Currently Amended) A method of promoting weight gain after weight loss resulting from burn-induced trauma in a patient which comprises administering to the patient a therapeutically effective amount of oxandrolone effective for promoting weight gain in said the patient suffering weight loss resulting from burn-induced trauma.

31. (Previously Presented) A method according to claim 30 wherein the amount of oxandrolone administered is about 1-100 mg per day.

32. (Previously Presented) A method according to claim 31 wherein the amount of oxandrolone administered is about 80 mg per day.

33. (Previously Presented) A method according to claim 31 wherein the amount of oxandrolone administered is about 20 mg per day.

34. (Previously Presented) A method according to claim 31 wherein the amount of oxandrolone administered is about 10 mg per day.

35. (Previously Presented) A method according to claim 31 wherein the amount of oxandrolone administered is about 2.5 mg per day.

Applicant : Don Fishbein  
Serial No. : 10/799,264  
Filed : March 12, 2004  
Page 3 of 3

36. (Previously Presented) A method according to claim 30 wherein the oxandrolone is administered orally.
37. (Previously Presented) A method according to claim 30 wherein the oxandrolone is administered topically.
38. (Previously Presented) A method according to claim 30 wherein the oxandrolone is administered by injection.
39. (Previously Presented) A method according to claim 30 wherein the oxandrolone is in a solid dosage form.
40. (Previously Presented) A method according to claim 30 wherein the oxandrolone is in a liquid dosage form.
41. (Previously Presented) A method according to claim 30 wherein the oxandrolone is in a sustained-release formulation.
42. (Previously Presented) A method according to claim 30 wherein the oxandrolone is 17 $\alpha$ -methyl-17 $\beta$ -hydroxy-2-oxa-5 $\alpha$ -androstan-3-one.
43. (Previously Presented) A method according to claim 30 further comprising administering a protein supplement.
44. (Previously Presented) A method according to claim 30 wherein the weight gained comprises lean body mass.
45. (Previously Presented) A method according to claim 30 wherein the weight gained is maintained.

Applicant : Don Fishbein  
Serial No. : 10/799,264  
Filed : March 12, 2004  
Page 4 of 3

46. (Previously Presented) A method according to claim 30, wherein the oxandrolone is administered orally or by injection.
47. (Previously Presented) A method according to claim 30, wherein the weight gained per unit time in the patient is double the weight gained by a patient suffering weight loss resulting from burn-induced trauma receiving the protein supplement but not the oxandrolone.